



TRACKMOBILE®
MOBILE RAILCAR MOVERS

Leading Railcar Mobility Since 1948

ATLAS

Maximum Towing Power



**Quality
Performance
Reliability**

Up to 60,200 lbs. of Tractive Effort Double Coupled

SAFETY

Safety is at the forefront of all Trackmobile engineered designs. In addition to slip-resistant surfaces, abundant lighting, and crossover decks with steel beam tread ladders, Atlas offers more standard features as well as additional optional safety features.

- FREE**- Rail Safe Training Class
- Patent Pending Safe-T-Vue™ 360° Visibility System
- Ramped Throttle Control
- Telematics Remote Monitoring & Diagnostic Capabilities
- CAN-Bus Control System
- On Board Diagnostic System
- Dual Gauge Train Air Display
- Train Air Charge Indicator
- Impact Sensor with Impact Monitoring History
- MAX-Trac Automatic Traction Control System
- MAX-Tran Automatic Weight Transfer System
- Electronic Speed Control
- GPS Positioning Capabilities
- Neutral Braking
- Hydraulic Lock-Out
- Remote Control System*
- Vigilance Control*

* Feature is an option
 **With authorization code provided in newly manufactured Trackmobile purchases.



Patent Pending Safe-T-Vue™
 360° Visibility and Railing System Monitor



Automatic Weight Transfer System

The number of cars moved may vary based on track conditions, load, and other factors.



MAINTENANCE MADE EASY

Easy maintenance helps keep your machine and your crews on the job. The wide opening engine access door invites more frequent checks. In addition to ground level access to all routine service points, We offer these convenient service features making maintenance easy and reducing downtime:

- Grouped service points
- Easy-to-change and access filters
- Easily accessible, marked fluid drain points
- See-through fluid reservoirs / sight gauges
- Accessible external disc brakes
- Advanced remote diagnostic monitoring
- Long life forged steel railwheels
 - up to 20x life of rubber wheel types



QSL-9 Liter Cummins Electronic
 Turbocharged Diesel Engine-Tier IV



Standard Train Air Charge Indicator



Heavy Duty Split Mainframe with
 Oscillating Bearing for Free Axle Pivot

UNPARALLELED SERVICE AND SUPPORT

Industry's Most Experienced Dealer Network

Trackmobile dealers provide the industry's best and most experienced sales and service support. Many of our dealers have been working with railcar movers, specifically Trackmobile, since its introduction in the early 1950's.

From being there to help select the right machine for your operations, to providing knowledgeable ongoing support, Trackmobile dealers help keep your business on track. Our customers have reported maintaining up to 99.7% uptime, due to Trackmobile dependability and unsurpassed customer service support.



Trackmobile and Our Dealers Offer:

- More than 100 facilities and over 300 factory trained service technicians throughout North America
- 24 Hour Emergency service
- Service and Parts for all models of Trackmobiles
- Dedicated railcar technicians operating customized railcar service vehicles
- In shop or on site Operator training and certification
- On site or in shop service and repair
- NEW Trackmobile railcar movers
- Late model rental units for emergencies and increased production times
- Machine demonstrations
- Quality reconditioned railcar movers
- Machine safety evaluations
- Free site surveys

Time is Money

Getting it right the first time requires having the tools and parts. Trackmobile has an inventory of parts to service even our legacy models. Understanding that uptime is a significant factor in operational success, our dealers and their service departments stock sufficient inventories to complete routine maintenance and most emergency calls. It takes a team with great partnership to “simply get the job done.”

Your Business + Our Dealers + Trackmobile Customer Service = Winning Team

TRACKMOBILE® LLC

1602 Executive Drive • LaGrange, GA 30240 • USA
706.884.6651 • Fax: 706.884.0390
Email: Trackmobile@trackmobile.com
www.trackmobile.com



A Marmon/Berkshire Hathaway Company

© 2018 TRACKMOBILE® LLC

ATBROP RV 3, 080218