

Display Unit Report

Equipment ID: ██████████0000003401
 Equipment Group: HOPP
 Date and Time: 07/31/2018 - 10:00:11 AM EDT

Flags Legend	
Mandatory Value	
ETC-Gen	
Rating	

General

Element Name	ID	Flags	DB Value	Formatted Value	Conflict
Status Code	USCD		A	A - ACTIVE	
Mechanical Designation	UMMD		HT	HT - Hopper-3 or more Compartments, Doors Hinged Crosswise, Dumping Between Rails	
Equipment Type Code	UMET		H350	H350	
Maint of Way Service Type	B403				
Built Date	BLDT		19970501	05/01/1997	
Rebuilt / ILS Date	RBDT				
Owner	UMOW		██████████	██████████	
Lessee	LESE				
Maintenance Party	MNPT		██████████	██████████	
Mark Owner Category	B201		B	B - US Private	
Prior Equipment ID	PRID		██████████0000003401	██████████0000003401	
Last Update Date	B122		20180625	06/25/2018	
Equipment Add Date	B082		20140522	05/22/2014	
Status Change Reason	USCR		O	O - Status Changed Manually	
Status Change Date	USCT		20150729	07/29/2015	
Extended Service	A096		E	E - Built new from July 1, 1974, Qualified for 50 Years Service	
End of Service Date	B078		20470501	05/01/2047	
Equipment Identification	EINN		██████████	██████████	
Info Conflict Status	B355				
Conflict Status	B050				
Date of Original Conflict	B063				
Next Conflict Status	B135				
Notice Indicator	B137				
Conflict Status Next Date	B062				
Rate Indicator	A070		2	2 - Private Mileage Rate	
Private Zero Rate	B150				
First Movement Date	USAT				
Equipment Add Company	B083				
Registration Reason	B174				
Restencil Program Ind	B177				
Non-Compliant Wheelsets	B544				
Pseudo Equipment Group	B547				

Weight

Element Name	ID	Flags	DB Value	Formatted Value	Conflict
Gross Rail Load/Weight	A266		263000	263000 lb	
Tare Weight	A259		57600	57600 lb	
Load Limit	LDLT		205400	205400 lb	
Weighing Status	A289		E	E - Estimated	
Weighing Date	A288				
Cubic Feet Capacity	A067		1490	1490 cuft	
Star Code	A247				
Qual for Inc GRL	B344				

Dimension

Element Name	ID	Flags	DB Value	Formatted Value	Conflict
Plate Code	A046		B	B - Plate Code B	
Outside Length	OSLG		444	37 ft 0 in	
Outside Extreme Width	A186		127	10 ft 7 in	
Outside Extreme Height	A185		122	10 ft 2 in	
Outside Height Extr Width	A187		127	10 ft 7 in	
Outside Upper Eaves Width	A194				
Outside Upper Eaves Hght	A193				
Outside Lower Eaves Width	A190				
Outside Lower Eaves Hght	A189				
Truck Center Length	A276				

Specification

Element Name	ID	Flags	DB Value	Formatted Value	Conflict
Truck Count	B256		2	2	
Axle Count	A024		4	4	
Wheel Bearing Type	B191		R	R - Roller	
Bearing Shielded From HBD	B021				
Brake Shoe Type	B026		H	H - High Friction Composite	
CC Side Bearing Type	A146				
Empty/Load Device Eqpd	B075				
Body Material	A030				
Center Of Gravity Empty	A045				
Remote Monitoring Device	B176				
AEI High Temperature Tag	B005				
Compartment Count	A052				
Degree of Slope Sheets	A071		60	60 deg	
Unloading System Type	B220				
Auto Unload Device Equip	B224				
Vibrator Bracket Equipped	B223				
Light Density	B124				
Connected Unit Count	A020				
Intermediate Conn Style	B115				
Operating Brakes	A182		1	1 - 1	
ECP Brake Type	B327				
ECP Brake Builder	B328				
Slack Adjuster Group	B538				
Brake Cylinder Mount Type	B540				
Equipment Builder	A035				
Builder Lot Code	B030		Confidential	Confidential	
Built Country	B031		Confidential	Confidential	
Rebuilt Country	B170				
FRA Reflectorization	B096				
Bottom Outlet Count	B142				
Air Hose Arrangement	B524				
4-Port ABT Receiver Eqpd	B539				

Feature

Element Name	ID	Flags	DB Value	Formatted Value	Conflict
Lining Material	A158				
Roof Type	A226				

Cost

Element Name	ID	Flags	DB Value	Formatted Value	Conflict
Original Cost	A184		Confidential	Confidential	
Ledger Value	A150		Confidential	Confidential	
Total A&B	A003		Confidential	Confidential	
Ind for Pos/Neg Total A&B	A128		Confidential	Confidential	

Car Management

Element Name	ID	Flags	DB Value	Formatted Value	Conflict
Pool Number	P001		0000000	0000000	
Pool Control	TCPC				
User Routing Instructions	TCUR				
Umler Transportation Code	TCOD				
Transportation Cond Code	TCCD				
Mechanical Restriction	TCME				
Mech Restriction Reason	TCMR				
Sys Gen Routing Inst	TCGR				

Train Service

Element Name	ID	Flags	DB Value	Formatted Value	Conflict
Restricted Speed Empty	B180				
Restricted Speed Loaded	B181				
Shove Car To Rest	B189				
Shove Adj. Car To Rest	B188				

Train Position Sensitive	B211			
End of Train Only	B277			
Check Trailing Tonnage	B044			
Curve Negotiate Exception	B178			
Cooper Rating Exception	B273			
Clearance Exception	B275			
Loaded Net Braking Ratio	B551	8.5	8.5 - 8.5	
Ownr-Prvd Ld Net Brkng Ro	B552			
Empty Braking Ratio	B553	15.5	15.5	
Ownr-Prvd Empty Brkng Ro	B554			

Miscellaneous

Element Name	ID	Flags	DB Value	Formatted Value	Conflict
Commercial Owner CIF	B049				
Commercial Lessee CIF	B048				
Umler Effective Date	EFDT		20140601	06/01/2014	

Inspection Due Dates

Element Name	ID	Flags	DB Value	Formatted Value	Conflict
ABT Due Date	DU13		20151221	12/21/2015	
ABT 5-8 Year Due Date	DU58		20191201	12/01/2019	

Inspection Air Brake Test (ABT)

Element Name	ID	Flags	DB Value	Formatted Value	Conflict
Air Brake Test Device	B523		M	M - Manual	
Inspection Date Done	DTDN		20141221	12/21/2014	
Inspection Performer	PERF		██████	██████	
Inspection Reporter	REPT		██████	██████	
Location/SPLC	SPLC		██████████	██████████	

Inspection Reflectorization Event (REF)

Element Name	ID	Flags	DB Value	Formatted Value	Conflict
Inspection Date Done	DTDN		20160601	06/01/2016	
Inspection Performer	PERF		██████	██████	
Inspection Reporter	REPT		██████	██████	
Location/SPLC	SPLC		██████████	██████████	

Component Flat View

Element Name	Loc	ID	Flags	DB Value	Formatted Value	Conflict	Comp.
Axle Spacing Distance	01	B020	● □	70	70 - 70 Inches in		AXLESPACE
Axle Spacing Distance	02	B020	● □	70	70 - 70 Inches in		AXLESPACE
Axle Spacing Distance	03	B020	● □	70	70 - 70 Inches in		AXLESPACE
Truck Axle Count	B	B252	●	2	2		TRUCK
Truck Axle Count	A	B252	●	2	2		TRUCK
Journal Size	B	A147	● □	F	F - 6-1/2 X 12		TRUCK
Journal Size	A	A147	● □	F	F - 6-1/2 X 12		TRUCK
Wheel Diameter	B	A294	● □	36	36 - 36 Inches		TRUCK
Wheel Diameter	A	A294	● □	36	36 - 36 Inches		TRUCK
Stability Device Equipped	B	B199	□				TRUCK
Stability Device Equipped	A	B199	□				TRUCK
Coupler Code	B	A057					DRAFTSYS
Coupler Code	A	A057					DRAFTSYS
Coupler Style	B	B058	● ▲ □	B	B - Bottom Shelf		DRAFTSYS
Coupler Style	A	B058	● ▲ □	B	B - Bottom Shelf		DRAFTSYS
Inches of Travel	B	B061	□				DRAFTSYS
Inches of Travel	A	B061	□				DRAFTSYS
Draft Gear/Cushion Type	B	B073	● □	S	S - Standard Draft Gear		DRAFTSYS
Draft Gear/Cushion Type	A	B073	● □	S	S - Standard Draft Gear		DRAFTSYS